

TRINSE RUSTFRI



06

7670/7470 - P30 RUSTFRIE TRINSE

· Dobbel kulebane i svingkrans · Gaffel av presset rustfritt stål · Termoplastisk gummibane m/glidelager · Bremsen låser hjul og sving i en operasjon



mm	mm	mm	mm	mm			kg (daN)	Bestillingsnr. sving
060	22	87	27	10			40	7470 PJO 060 P30
075	22	100	27	10			50	7470 PJO 075 P30
080	22	107	30	10			50	7470 PJO 080 P30
100	22	127	35	10			60	7470 PJO 100x22 P30
100	32	132	40	10			80	7470 PJO 100x32 P30
125	32	159	43	10			100	7470 PJO 125 P30
150	30	185	48	12			100	7470 PJO 150 P30
Sving m/brems								
060	22	87	27	10			40	7477 PJO 060 P30
075	22	100	27	10			50	7477 PJO 075 P30
080	22	107	30	10			50	7477 PJO 080 P30
100	22	127	35	10			60	7477 PJO 100x22 P30
100	32	132	40	10			80	7477 PJO 100x32 P30
125	32	159	43	10			100	7477 PJO 125 P30
150	30	185	48	12			100	7477 PJO 150 P30



7670/7470 - P60 RUSTFRIE TRINSE



mm	mm	mm	mm	mm	mm	mm	kg (daN)	Svingbar trinse
060	22	89	27	50x65	36x50	6,5	40	7470 PJO 060 P60
075	22	100	27	50x65	36x50	6,5	50	7470 PJO 075 P60
080	22	109	30	50x65	36x50	6,5	50	7470 PJO 080 P60
100	22	129	35	50x65	36x50	6,5	60	7470 PJO 100x22 P60
100	32	134	43	70x90	50x70	8,5	80	7470 PJO 100x32 P50
125	32	162	43	70x90	50x70	8,5	100	7470 PJO 125 P50
125	32	160	43	95x70	75x50	11,0	100	7470 PJO 125 P51*
150	30	188	48	70x90	50x70	8,5	100	7470 PJO 150 P60
Fast trinse								
060	22	89		50x65	36x50	6,5	40	7478 PJO 060 P60
075	22	100		50x65	36x50	6,5	50	7478 PJO 075 P60
080	22	109		50x65	36x50	6,5	50	7478 PJO 080 P60
100	22	129		50x65	36x50	6,5	60	7478 PJO 100x22 P60
100	32	134		70x90	50x70	8,5	80	7478 PJO 100x32 P50
125	32	162		70x90	50x70	8,5	100	7478 PJO 125 P50
125	32	160		95x70	75x50	11,0	100	7478 PJO 125 P51*
150	30	188		70x90	50x70	8,5	100	7478 PJO 150 P60
Svingbar trinse m/brems								
060	22	89	27	50x65	36x50	6,5	40	7477 PJO 060 P60
075	22	100	27	50x65	36x50	6,5	50	7477 PJO 075 P60
080	22	109	30	50x65	36x50	6,5	50	7477 PJO 080 P60
100	22	129	35	50x65	36x50	6,5	60	7477 PJO 100x22 P60
100	32	134	43	70x90	50x70	8,5	80	7477 PJO 100x32 P50
125	32	162	43	70x90	50x70	8,5	100	7477 PJO 125 P50
125	32	160	43	95x70	75x50	11,0	100	7477 PJO 125 P51*
150	30	188	48	70x90	50x70	8,5	100	7477 PJO 150 P60

* Stor plate etter DIN 18 867 nr. 8 (trinser for storkjøkken utstyr)



7970 - P53 RUSTFRI TVILLINGTRINSE



mm	mm	mm	mm	mm	mm	mm	kg (daN)	Svingbar trinse
075	2x25	101	28	70x55	54x45	5,5	100	7970 PJO 075 P53

ALTERNATIVER



Tapp R05



Rustfri kulelager PJX

8470 - P60 UFX RUSTFRIE TRINSE

- Dobbelt kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans
- Gaffel og festeplate av presset rustfri stålplate

- Hjul elastisk grå gummi meget myk og lettrullende
- **UFD** elastisk gummi på nylonfelg m/rullelager
- **UFX** elastisk gummi på nylonfelg m/tette kulelager



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse
100	34	128	40	105x85	80x60	9	150	8470 UFD 100 P62
125	40	155	45	105x85	80x60	9	250	8470 UFX 125 P62
160	46	200	60	140x110	105x80	11	300	8470 UFX 160 P63
200	46	240	60	140x110	105x80	11	300	8470 UFX 200 P63



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Fast trinse
100	34	128	40	105x85	80x60	9	150	8478 UFD 100 P62
125	40	155	45	105x85	80x60	9	250	8478 UFX 125 P62
160	46	200	60	140x110	105x80	11	300	8478 UFX 160 P63
200	46	240	60	140x110	105x80	11	300	8478 UFX 200 P63



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse m/brems
100	34	128	40	105x85	80x60	9	150	8477 UFD 100 P62
125	40	155	45	105x85	80x60	9	250	8477 UFX 125 P62
160	46	200	60	140x110	105x80	11	300	8477 UFX 160 P63
200	46	240	60	140x110	105x80	11	300	8477 UFX 200 P63

8470 - P30 UFX RUSTFRIE TRINSE

- Dobbelt kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans
- Gaffel og festeplate av presset rustfri stålplate

- Hjul elastisk grå gummi meget myk og lettrullende
- **UFD** elastisk gummi på nylonfelg m/rullelager
- **UFX** elastisk gummi på nylonfelg m/tette kulelager



 mm	 mm	 mm	 mm	 mm		 kg (daN)	Svingbar trinse
100	34	128	40	12		150	8470 UFD 100 P30
125	40	155	45	12		250	8470 UFX 125 P30
160	46	192	60	12		250	8470 UFX 160 P30
200	46	232	60	12		250	8470 UFX 200 P30



 mm	 mm	 mm	 mm	 mm		 kg (daN)	Svingbar trinse m/brems
100	34	128	40	12		150	8477 UFD 100 P30
125	40	155	45	12		250	8477 UFX 125 P30
160	46	192	60	12		250	8477 UFX 160 P30
200	46	232	60	12		250	8477 UFX 200 P30

ALTERNATIVER



PIO



Retningslås for P63

8470 - P60 U00 RUSTFRIE TRINSER

- Dobbelt kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans

- Gaffel og festeplate av presset rustfri stålplate
- Hjul av nylon m/glidelager



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse
80	34	108	40	105x 85	80x60	9	200	8470 U00 080 P62
100	35	128	40	105x 85	80x60	9	200	8470 U00 100 P62
125	40	155	45	105x 85	80x60	9	250	8470 U00 125 P62
150	40	195	60	140x110	105x80	11	400	8470 U00 150 P63
160	40	200	60	140x110	105x80	11	400	8470 U00 160 P63
200	50	240	60	140x110	105x80	11	400	8470 U00 200 P63



 mm	 mm	 mm		 mm	 mm	 mm	 kg (daN)	Fast trinse
80	34	108		105x 85	80x60	9	200	8478 U00 080 P62
100	35	128		105x 85	80x60	9	200	8478 U00 100 P62
125	40	155		105x 85	80x60	9	250	8478 U00 125 P62
150	40	195		140x110	105x80	11	400	8478 U00 150 P63
160	40	200		140x110	105x80	11	400	8478 U00 160 P63
200	50	240		140x110	105x80	11	400	8478 U00 200 P63



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse m/brems
80	34	108	40	105x 85	80x60	9	200	8477 U00 080 P62
100	35	128	40	105x 85	80x60	9	200	8477 U00 100 P62
125	40	155	45	105x 85	80x60	9	250	8477 U00 125 P62
150	40	195	60	140x110	105x80	11	400	8477 U00 150 P63
160	40	200	60	140x110	105x80	11	400	8477 U00 160 P63
200	50	240	60	140x110	105x80	11	400	8477 U00 200 P63

8470 - P30 U00 RUSTFRIE TRINSER

- Dobbelt kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans

- Gaffel og festeplate av presset rustfri stålplate
- Hjul **U00** nylon m/glidelager



 mm	 mm	 mm	 mm	 mm			 kg (daN)	Svingbar trinse
80	34	108	40	12			100	8470 U00 080 P30
100	35	128	40	12			150	8470 U00 100 P30
125	40	155	45	12			150	8470 U00 125 P30



 mm	 mm	 mm	 mm	 mm			 kg (daN)	Svingbar trinse m/brems
80	34	108	40	12			100	8477 U00 080 P30
100	35	128	40	12			150	8477 U00 100 P30
125	40	155	45	12			150	8477 U00 125 P30

ALTERNATIVE HJUL



IDP Ø100
Varmebestandig gummi



B00/B0P
Varmebestandig



Retningslås for P63



W00
Autoklavhjul

8470 - P60 UAO RUSTFRIE TRINSER

- Dobbel kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans

- Gaffel og festeplate av presset rustfri stålplate
- Hjul polyuretanbane på nylonfelg m/glidelager



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse
80	30	108	40	105x 85	80x60	9	100	8470 UAO 080 P62
100	30	128	40	105x 85	80x60	9	150	8470 UAO 100 P62
125	30	155	45	105x 85	80x60	9	150	8470 UAO 125 P62
125	40	161	60	140x110	105x80	11	300	8470 UAO 125 P63
150	40	180	40	105x 85	80x60	9	200	8470 UAO 150 P62
160	40	200	60	140x110	105x80	11	350	8470 UAO 160 P63
200	50	240	60	140x110	105x80	11	400	8470 UAO 200 P63



 mm	 mm	 mm		 mm	 mm	 mm	 kg (daN)	Fast trinse
80	30	108		105x 85	80x60	9	100	8478 UAO 080 P62
100	30	128		105x 85	80x60	9	150	8478 UAO 100 P62
125	30	155		105x 85	80x60	9	150	8478 UAO 125 P62
125	40	161		140x110	105x80	11	300	8478 UAO 125 P63
150	40	180		105x 85	80x60	9	200	8478 UAO 150 P62
160	40	200		140x110	105x80	11	350	8478 UAO 160 P63
200	50	240		140x110	105x80	11	400	8478 UAO 200 P63



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse m/brems
80	30	108	40	105x 85	80x60	9	100	8477 UAO 080 P62
100	30	128	40	105x 85	80x60	9	150	8477 UAO 100 P62
125	30	155	45	105x 85	80x60	9	150	8477 UAO 125 P62
125	40	161	60	140x110	105x80	11	300	8477 UAO 125 P63
150	40	180	40	105x 85	80x60	9	200	8477 UAO 150 P62
160	40	200	60	140x110	105x80	11	350	8477 UAO 160 P63
200	50	240	60	140x110	105x80	11	400	8477 UAO 200 P63

8470 - P30 UAO RUSTFRIE TRINSER

- Dobbel kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans

- Gaffel og festeplate av presset rustfri stålplate
- Hjul U00 nylon m/glidelager



 mm	 mm	 mm	 mm	 mm			 kg (daN)	Svingbar trinse
80	30	108	40	12			100	8470 UAO 080 P30
100	30	128	40	12			150	8470 UAO 100 P30
125	30	155	45	12			150	8470 UAO 125 P30
150	40	180	45	12			200	8470 UAO 150 P30



 mm	 mm	 mm	 mm	 mm			 kg (daN)	Svingbar trinse m/brems
80	30	108	40	12			100	8477 UAO 080 P30
100	30	128	40	12			150	8477 UAO 100 P30
125	30	155	45	12			150	8477 UAO 125 P30
150	40	180	45	12			200	8477 UAO 150 P30

ALTERNATIVE FESTER SE KAPITTEL 9



UAD
m/rustfritt rullelager



Retningslås for P63

8670 - T00 RUSTFRIE TRINSE KRAFTIG MODELL

- Dobbel kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans

- Gaffel og festeplate av presset rustfri stålplate
- Hjul av nylon kraftig serie T00



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse
125	50	164	55	140x110	105x80	11	700	8670 T00 125 P63
160	50	200	55	140x110	105x80	11	800	8670 T00 160 P63
200	50	240	55	140x110	105x80	11	800	8670 T00 200 P63



 mm	 mm	 mm		 mm	 mm	 mm	 kg (daN)	Fast trinse
125	50	164		140x110	105x80	11	700	8678 T00 125 P63
160	50	200		140x110	105x80	11	800	8678 T00 160 P63
200	50	240		140x110	105x80	11	800	8678 T00 200 P63



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse m/brems
125	50	164	55	140x110	105x80	11	700	8677 T00 125 P63
160	50	200	55	140x110	105x80	11	800	8677 T00 160 P63
200	50	240	55	140x110	105x80	11	800	8677 T00 200 P63

8970 - T00 RUSTFRIE TVILLINGTRINSE KRAFTIG MODELL

- Dobbel kulebane i svingkrans rustfrie kuler
- Tetning i svingkrans

- Gaffel og festeplate av smidd rustfri stålplate
- Hjul av nylon m/kulelager



 mm	 mm	 mm	 mm	 mm	 mm	 mm	 kg (daN)	Svingbar trinse
125	45	177	50	150x110	105x80	12	1500	8970 TOP 125 P68
150	54	200	70	150x110	105x80	12	1500	8970 TOP 150 P68
200	50	250	70	150x110	105x80	12	1500	8970 TOP 200 P68
250	56	300	80	150x110	105x80	12	1500	8970 TOP 250 P68




 mm	 mm	 mm		 mm	 mm	 mm	 kg (daN)	Fast trinse
125	45	177		175x150	105x80	12	1500	8978 TOP 125 P68
150	54	200		175x150	105x80	12	1500	8978 TOP 150 P68
200	50	250		175x150	105x80	12	1500	8978 TOP 200 P68
250	56	300		175x150	105x80	12	1500	8978 TOP 250 P68

ALTERNATIVE HJUL



UAO



UAD



UFX



Retningslås 8671

ALTERNATIVER